



# TITAN


## Under Water Recessed Light



Mounting Sleeve



IP Rating



LED



Beam Angle



Aluminum  
AI



CE



RoHS



Rated Life  
50,000  
HRS  
@L70



Warranty  
5 YEARS

### Key Features:

- Made from Stainless steel 316L ensuring durability and a sleek finish.
- IP68 rated.
- Life Rated at 50,000Hrs (L70)

# TITAN

## Under Water Recessed Light

<b>Luminous Efficacy</b>	>70lm/W	<b>Control</b>	Switched / 1-10V / DALI
<b>SDCM</b>	<3	<b>Body Material</b>	Stainless Steel 316L
<b>CRI</b>	>83/93	<b>Diffuser</b>	Tempered Glass
<b>Beam Angle</b>	24°/ 30°/36° / 60°	<b>IP Rating</b>	IP68 (Immersion up to 5m water depth)
<b>Working Voltage</b>	24V DC	<b>Rated Life</b>	50,000Hrs (L70)
<b>LED Driver</b>	Remote	<b>IK Rating</b>	IK10

### Technical Data

Product Code	Wattage	Luminous Flux				Size (Ø X H) mm
		2700K	3000K	4000K	6000K	
BLU-TITAN-R13L	15W	1050	1060	1070	1080	135 X 58
BLU-TITAN-R18L	18W	1260	1270	1280	1290	180 X 77
BLU-TITAN-R20L	24W	1680	1700	1720	1740	205 X 88
BLU-TITAN-R25L	36W	2520	2570	2620	2670	250 X 79

### Ordering Code:

Product Code	X	YY	ZZ
BLU-TITAN-R13L-15W	8 - CRI 83+	27 -2700K	24 - 24Deg
BLU-TITAN-R18L-18	9 - CRI 93+	30 -3000K	30 - 30 Deg
BLU-TITAN-R20L-24W		40 -4000K	36 - 36 Deg
BLU-TITAN-R25L-36W		60 -6000K	60 - 60 Deg

Example: BLU- TITAN-R13L-15W-827-24

### Typical Applications:



Homes



Offices



Commercial



Malls



Schools



Hospitals



Hotels

### Our products use the following LED Chips & Drivers

#### LED Chips:



#### LED Drivers:



Suite 5, Valley Towers, Valley Road  
Birkirkara BKR9022, Malta.  
[www.immitek.com](http://www.immitek.com)

811, Regal Towers, Business Bay  
Dubai, United Arab Emirates.  
[www.bluelighting.com](http://www.bluelighting.com)

**Imminent**  
Teknologies LLC

Product design and specifications are subject to change without notice.